



SEQUENCE LISTING

<10> SONENBERG, Nahum  
TREMBLAY, Michel  
TSUKIAYAMA-KOHARA, KYOKO

<120> NON-HUMAN TRANSGENIC ANIMAL WHOSE GERM CELLS AND  
SOMATIC CELLS CONTAIN A KNOCKOUT MUTATION IN DNA  
ENCODING 4E-BP1

<130> 514012000400

<140> 09/973,473  
<141> 2001-10-09

<150> PCT/CA00/00388  
<151> 2000-04-07

<150> 60/128,559  
<151> 1999-04-09

<150> 60/179,743  
<151> 2000-02-02

<160> 28

<170> PatentIn Ver. 2.1

<210> 1  
<211> 16  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic  
oligonucleotide

<400> 1  
tgcaggagac atgtcg

<210> 2  
<211> 16  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic  
oligonucleotide

<400> 2  
acagtttgag atggac

<210> 3  
<211> 22  
<212> DNA

RECEIVED  
FEB 9 2004  
TECH CENTER 1600/2000  
16

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic  
oligonucleotide

<400> 3

gggtgagttt caccagtttt ga

22

<210> 4

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic  
oligonucleotide

<400> 4

ccactcatcg cagtactgtt gt

22

<210> 5

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic  
oligonucleotide

<400> 5

caatatggac aacttcttcg cccc

24

<210> 6

<211> 16

<212> PRT

<213> Homo sapiens

<400> 6

Arg	Ile	Ile	Tyr	Asp	Arg	Lys	Phe	Leu	Met	Glu	Cys	Arg	Asn	Ser	Pro
1				5				10						15	

<210> 7

<211> 16

<212> PRT

<213> Homo sapiens

<400> 7

Arg	Ile	Ile	Tyr	Asp	Arg	Lys	Phe	Leu	Leu	Asp	Arg	Arg	Asn	Ser	Pro
1				5				10						15	

<210> 8

<211> 16  
<212> PRT  
<213> Homo sapiens

<400> 8  
Arg Ile Ile Tyr Asp Arg Lys Phe Leu Leu Glu Cys Lys Asn Ser Pro  
1 5 10 15

<210> 9  
<211> 16  
<212> PRT  
<213> Homo sapiens

<400> 9  
Lys Lys Arg Tyr Asp Arg Glu Phe Leu Leu Gly Phe Gln Phe Ile Phe  
1 5 10 15

<210> 10  
<211> 16  
<212> PRT  
<213> Homo sapiens

<400> 10  
Lys Lys Gln Tyr Asp Arg Glu Phe Leu Leu Asp Phe Gln Phe Met Pro  
1 5 10 15

<210> 11  
<211> 16  
<212> PRT  
<213> Danio rerio

<400> 11  
Lys Lys Arg Tyr Asp Arg Glu Phe Leu Leu Gly Phe Gln Phe Ile Ser  
1 5 10 15

<210> 12  
<211> 16  
<212> PRT  
<213> Drosophila melanogaster

<400> 12  
Lys Lys Gln Tyr Asp Arg Glu Gln Leu Leu Gln Leu Arg Glu Val Lys  
1 5 10 15

<210> 13  
<211> 16  
<212> PRT  
<213> wheat germ

<400> 13  
Arg Val Arg Tyr Ser Arg Asp Gln Leu Leu Asp Leu Arg Lys Ile Thr  
1 5 10 15

<210> 14  
<211> 16  
<212> PRT  
<213> *Arabidopsis thaliana*

<400> 14  
Arg Val Lys Tyr Thr Arg Glu Gln Leu Leu Glu Leu Lys Glu Val Ile  
1 5 10 15

<210> 15  
<211> 16  
<212> PRT  
<213> *Halocynthia roretzi*

<400> 15  
Arg Ile Ile Tyr Asp Arg Leu Phe Leu Leu Lys Cys Arg Asp Ser Pro  
1 5 10 15

<210> 16  
<211> 16  
<212> PRT  
<213> *Bombyx mori*

<400> 16  
Arg Ile Val Tyr Glu Arg Ser Phe Met Leu Ser Leu Arg Gln Ser Pro  
1 5 10 15

<210> 17  
<211> 16  
<212> PRT  
<213> *Schistosoma mansoni*

<400> 17  
Arg Ile Ile Tyr Glu Arg Asp Phe Ile Leu Ser Cys Arg Asn Ser Pro  
1 5 10 15

<210> 18  
<211> 16  
<212> PRT  
<213> *Dictyostelium discoideum*

<400> 18  
Lys Ile Val Tyr Asp Arg Asn Ala Leu Leu Gln Tyr Arg Asn Ser Pro  
1 5 10 15

<210> 19  
<211> 16  
<212> PRT  
<213> *Saccharomyces cerevisiae*

<400> 19  
Lys Tyr Thr Tyr Gly Pro Thr Phe Leu Leu Gln Phe Lys Asp Lys Leu  
1 5 10 15

<210> 20  
<211> 16  
<212> PRT  
<213> *Saccharomyces cerevisiae*

<400> 20  
Met Ile Lys Tyr Thr Ile Asp Glu Leu Phe Gln Leu Lys Pro Ser Leu  
1 5 10 15

<210> 21  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<221> VARIANT  
<222> (2)..(5)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (7)  
<223> x = hydrophobic amino acid

<400> 21  
Tyr Xaa Xaa Xaa Xaa Leu Xaa  
1 5

<210> 22  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic peptide

<220>  
<221> VARIANT  
<222> (1)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (7)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (2)

<223> x = hydrophobic amino acid

<220>

<221> VARIANT

<222> (10)..(11)

<223> x = hydrophobic amino acid

<220>

<221> VARIANT

<222> (3)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (4)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (6)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (8)

<223> x = any amino acid

<400> 22

Xaa Xaa Xaa Xaa Tyr Xaa Xaa Xaa Phe Xaa Xaa

1

5

10

<210> 23

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic peptide

<220>

<221> VARIANT

<222> (1)

<223> x = positively charged amino acid

<220>

<221> VARIANT

<222> (6)

<223> x = positively charged amino acid

<220>

<221> VARIANT

<222> (2)..(3)

<223> x = hydrophobic amino acid

<220>

<221> VARIANT  
<222> (9)..(10)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (5)  
<223> x = negatively charged amino acid

<220>  
<221> VARIANT  
<222> (7)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (11)..(12)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (14)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (8)  
<223> x =Phe or Ala

<400> 23  
Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Ser Pro  
1 5 10 15

<210> 24  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic peptide

<220>  
<221> VARIANT  
<222> (1)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (6)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (2)..(3)  
<223> x = hydrophobic amino acid

<220>  
 <221> VARIANT  
 <222> (10)  
 <223> x = hydrophobic amino acid

<220>  
 <221> VARIANT  
 <222> (5)  
 <223> x = negatively charged amino acid

<220>  
 <221> VARIANT  
 <222> (7)  
 <223> x - any amino acid

<220>  
 <221> VARIANT  
 <222> (11)..(12)  
 <223> x = any amino acid

<220>  
 <221> VARIANT  
 <222> (14)  
 <223> x = any amino acid

<400> 24  
 Xaa Xaa Xaa Tyr Xaa Xaa Xaa Phe Leu Xaa Xaa Xaa Arg Xaa Ser Pro  
       1                  5                  10                  15

<210> 25  
 <211> 16  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: synthetic peptide

<220>  
 <221> VARIANT  
 <222> (1)  
 <223> x = positively charged amino acid

<220>  
 <221> VARIANT  
 <222> (6)  
 <223> x = positively charged amino acid

<220>  
 <221> VARIANT  
 <222> (2)..(3)  
 <223> x = hydrophobic amino acid

<220>  
 <221> VARIANT

<222> (10)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (5)  
<223> x = negatively charged amino acid

<220>  
<221> VARIANT  
<222> (7)..(8)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (11)..(12)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (14)  
<223> x = any amino acid

<400> 25  
Xaa Xaa Xaa Tyr Xaa Xaa Xaa Xaa Leu Xaa Xaa Xaa Arg Xaa Ser Pro  
1 5 10 15

<210> 26  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic peptide

<220>  
<221> VARIANT  
<222> (1)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (6)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (2)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (10)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (3)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (5)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (7)  
<223> x = any amino acid

<220>  
<221> VARIANT  
<222> (11)..(16)  
<223> x = any amino acid

<400> 26  
Xaa Xaa Xaa Tyr Xaa Xaa Xaa Phe Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15

<210> 27  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: synthetic peptide

<220>  
<221> VARIANT  
<222> (1)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (6)  
<223> x = positively charged amino acid

<220>  
<221> VARIANT  
<222> (2)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (10)  
<223> x = hydrophobic amino acid

<220>  
<221> VARIANT  
<222> (3)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (5)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (7)..(8)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (11)..(16)

<223> x = any amino acid

<400> 27

Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Xaa	Xaa	Leu	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5				10						15	

<210> 28

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic peptide

<220>

<221> VARIANT

<222> (2)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (3)

<223> x = positively charged amino acid

<220>

<221> VARIANT

<222> (4)

<223> x = any amino acid

<220>

<221> VARIANT

<222> (6)..(7)

<223> x = hydrophobic amino acid

<400> 28

Tyr	Xaa	Xaa	Xaa	Phe	Xaa	Xaa
1				5		